

- 
- Part Number: 1910
  - Part Title: Occupational Safety and Health Standards
  - Subpart: Z
  - Subpart Title: Toxic and Hazardous Substances
  - Standard Number: 1910.1030
  - Title:

*HBV* means hepatitis B virus.

*HIV* means human immunodeficiency virus.

*Needleless systems* means a device that does not use needles for:

(1) The collection of bodily fluids or withdrawal of body fluids after initial venous or arterial access is established; (2) The administration of medication or fluids; or (3) Any other procedure involving the potential for occupational exposure to bloodborne pathogens due to percutaneous injuries from contaminated sharps.

*Occupational Exposure* means reasonably anticipated skin, eye, mucous membrane, or par

*Exposure Control --*

[1910.1030\(c\)\(1\)](#)

*Exposure Control Plan.*

[1910.1030\(c\)\(1\)\(i\)](#)

Each employer having an employee(s) with occupational exposure as defined by paragraph (b) of this section shall establish a written Exposure Control Plan designed to eliminate or minimize employee exposure.

[1910.1030\(c\)\(1\)\(ii\)](#)

The Exposure Control Plan shall contain at least the following elements:

[1910.1030\(c\)\(1\)\(ii\)\(A\)](#)

The exposure determination required by paragraph (c)(2),

[1910.1030\(c\)\(1\)\(ii\)\(B\)](#)

The schedule and method of implementation for paragraphs (d) Methods of Compliance, (e) HIV and HBV Research Laboratories and Production Facilities, (f) Hepatitis B Vaccination and Post-Exposure Evaluation and Follow-up, (g) Communication of Hazards to Employees, and (h) Recordkeeping, of this standard, and

[1910.1030\(c\)\(1\)\(ii\)\(C\)](#)

The procedure for the evaluation of circumstances surrounding exposure incidents as required by paragraph (f)(3)(i) of this standard.

[1910.1030\(c\)\(1\)\(iii\)](#)

Each employer shall ensure that a copy of the Exposure Control Plan is accessible to employees in accordance with 29 CFR 1910.1020(e).

[1910.1030\(c\)\(1\)\(iv\)](#)

The Exposure Control Plan shall be reviewed and updated at least annually and whenever necessesur(v)4(e)-5(r)6( )-2(ne)-4(c)5(e)-5(ss)6()6(€

1910.1030(c)(1)(vi)

The Exposure Control Plan shall be made available to the Assistant Secretary and the Director upon request for examination and copying.

[1910.1030\(c\)\(2\)](#)

*Exposure Determination.*

[1910.1030\(d\)\(2\)\(iii\)](#)

Employers shall provide handwashing facilities which are readily accessible to employees.

1910.1030(d)(2)(iv)

When provision of handwashing facilities is not feasible, the employer shall provide either an appropriate antiseptic hand cleanser in conjunction with clean cloth/paper towels or antiseptic towelettes. When antiseptic hand cleansers or towelettes are used, hands shall be washed with soap and running water as soon as feasible.

[1910.1030\(d\)\(2\)\(v\)](#)

Employers shall ensure that employees wash their hands immediately or as soon as feasible after removal of gloves or other personal protective equipment.

[1910.1030\(d\)\(2\)\(vi\)](#)

Employers shall ensure that employees wash hands and any other skin with soap and water, or flush mucous membranes with water immediately or as soon as feasible following contact of such body areas with blood or other potentially infectious materials.

[1910.1030\(d\)\(2\)\(vii\)](#)

Contaminated needles and other contaminated sharps shall not be bent, recapped, or removed except as noted in paragraphs (d)(2)(vii)(A) and (d)(2)(vii)(B) below. Shearing or breaking of contaminated needles is prohibited.

[1910.1030\(d\)\(2\)\(vii\)\(A\)](#)

Contaminated needles and other contaminated sharps shall not be bent, recapped or removed unless the employer can demonstrate that no alternative is feasible or that such action is required by a specific medical or dental procedure.

[1910.1030\(d\)\(2\)\(vii\)\(B\)](#)

Such bending, recapping or needle removal must be accomplished through the use of a mechanical device or a one-handed technique.

[1910.1030\(d\)\(2\)\(viii\)](#)

Immediately or as soon as possible after use, contaminated reusable sharps shall be placed in appropriate containers until properly reprocessed. These containers shall be:

[1910.1030\(d\)\(2\)\(viii\)\(A\)](#)

Puncture resistant;

1910.1030(d)(2)(viii)(B)

Labeled or color-coded in accordance with this standard;

1910.1030(d)(2)(viii)(C)

Leakproof on the sides and bottom; and

1910.1030(d)(2)(viii)(D)

In accordance with the requirements set forth in paragraph (d)(4)(ii)(E) for reusable sharps.

[1910.1030\(d\)\(2\)\(ix\)](#)

Eating, drinking, smoking, applying cosmetics or lip balm, and handling contact lenses are prohibited in work areas where there is a reasonable likelihood of occupational exposure.

1910.1030(d)(2)(x)

Food and drink shall not be kept in refrigerators, freezers, shelves, cabinets or on countertops or benchtops where blood or other potentially infectious materials are present.

[1910.1030\(d\)\(2\)\(xi\)](#)

All procedures involving blood or other potentially infectious materials shall be performed in such a manner as to minimize splashing, spraying, spattering, and generation of droplets of these substances.

1910.1030(d)(2)(xii)

Mouth pipetting/suctioning of blood or other potentially infectious materials is prohibited.

[1910.1030\(d\)\(2\)\(xiii\)](#)

Specimens of blood or other potentially infectious materials shall be placed in a container which prevents leakage during collection, handling, processing, storage, transport, or shipping.

1910.1030(d)(2)(xiii)(A)

The container for storage, transport, or shipping shall be labeled or color-coded according to paragraph (g)(1)(i) and closed prior to being stored, transported, or shipped. When a facility utilizes Universal Precautions in the handling of all specimens, the labeling/color-coding of specimens is not necessary provided containers are recognizable as containing specimens. This exemption only applies while such specimens/containers remain within the facility. Labeling or color-coding in accordance with paragraph (g)(1)(i) is required when such specimens/containers leave the facility.

1910.1030(d)(2)(xiii)(B)

If outside contamination of the primary container occurs, the primary container shall be placed within a second container which prevents leakage during handling, processing, storage, transport, or shipping and is labeled or color-coded according to the requirements of this standard.

1910.1030(d)(2)(xiii)(C)

If the specimen could puncture the primary container, the primary container shall be placed within a secondary container which is puncture-resistant in addition to the above characteristics.

[1910.1030\(d\)\(2\)\(xiv\)](#)

Equipment which may become contaminated with blood or other potentially infectious materials shall be examined prior to servicing or shipping and shall be decontaminated as necessary, unless the employer can demonstrate that decontamination of such equipment or portions of such equipment is not feasible.

1910.1030(d)(2)(xiv)(A)

A readily observable label in accordance with paragraph (g)(1)(i)(H) shall be attached to the equipment stating which portions remain



1910.1030(d)(3)(viii)

When personal protective equipment is removed it shall be placed in an appropriately designated area or container for storage, washing, decontamination or disposal.

[1910.1030\(d\)\(3\)\(ix\)](#)

*Gloves.* Gloves shall be worn when it can be reasonably anticipated that the employee may have hand contact with blood, other potentially infectious materials, mucous membranes, and non-intact skin; when performing vascular access procedures except as specified in paragraph (d)(3)(ix)(D); and when handling or touching contaminated items or surfaces.

1910.1030(d)(3)(ix)(A)

Disposable (single use) gloves such as surgical or examination gloves, shall be replaced as soon as practical when contaminated or as soon as feasible if they are torn, punctured, or when their ability to function as a barrier is compromised.

1910.1030(d)(3)(ix)(B)

Disposable (single use) gloves shall not be washed or decontaminated for re-use.

1910.1030(d)(3)(ix)(C)

Utility gloves may be decontaminated for re-use if the integrity of the glove is not compromised. However, they must be discarded if they are cracked, peeling, torn, punctured, or exhibit other signs of deterioration or when their ability to function as a barrier is compromised.

1910.1030(d)(3)(ix)(D)

If an employer in a volunteer blood donation center judges that routine gloving for all phlebotomies is not necessary then the employer shall:

1910.1030(d)(3)(ix)(D)(1)

Periodically reevaluate this policy;

1910.1030(d)(3)(ix)(D)(2)

Make gloves available to all employees who wish to use them for phlebotomy;

1910.1030(d)(3)(ix)(D)(3)

Not discourage the use of gloves for phlebotomy; and

1910.1030(d)(3)(ix)(D)(4)

Require that gloves be used for phlebotomy in the following circumstances:

1910.1030(d)(3)(ix)(D)(4)(i)

When the employee has cuts, scratches, or other breaks in his or her skin;

1910.1030(d)(3)(ix)(D)(4)(ii)

When the employee judges that hand contamination with blood may occur, for example, when performing phlebotomy on an uncooperative source individual; and



1910.1030(d)(3)(ix)(D)(4)(iii)

When the employee is receiving training in phlebotomy.

[1910.1030\(d\)\(3\)\(x\)](#)

*Masks, Eye Protection, and Face Shields.* Masks in combination with eye protection devices, such as goggles or glasses with solid side shields, or chin-length face shields, shall be worn whenever splashes, spray, spatter, or droplets of blood or other potentially infectious materials may be generated and eye, nose, or mouth contamination can be reasonably anticipated.

1910.1030(d)(3)(xi)

*Gowns, Aprons, and Other Protective Body Clothing.* Appropriate protective clothing such as, but not limited to, gowns, aprons, lab coats, clinic jackets, or similar outer garments shall be worn in occupational exposure situations. The type and characteristics will depend upon the task and degree of exposure anticipated.

[1910.1030\(d\)\(3\)\(xii\)](#)

Surgical caps or hoods and/or shoe covers or boots shall be worn in instances when gross contamination can reasonably be anticipated (e.g., autopsies, orthopaedic surgery).

1910.1030(d)(4)

*Housekeeping --*

[1910.1030\(d\)\(4\)\(i\)](#)

*General.* Employers shall ensure that the worksite is maintained in a clean and sanitary condition. The employer shall determine and implement an appropriate written schedule for cleaning and method of decontamination based upon the location within the facility, type of surface to be cleaned, type of soil present, and tasks or procedures being performed in the area.

[1910.1030\(d\)\(4\)\(ii\)](#)

All equipment and environmental and working surfaces shall be cleaned and decontaminated after contact with blood or other potentially infectious materials.

[1910.1030\(d\)\(4\)\(ii\)\(A\)](#)

Contaminated work surfaces shall be decontaminated with an appropriate disinfectant after completion of procedures; immediately or as soon as feasible when surfaces are overtly contaminated or after any spill of blood or other potentially infectious materials; and at the end of the work shift if the surface may have become contaminated since the last cleaning.

1910.1030(d)(4)(ii)(B)

Protective coverings, such as plastic wrap, aluminum foil, or imperviously-backed absorbent paper used to cover equipment and environmental surfaces, shall be removed and replaced as soon as feasible when they become overtly contaminated or at the end of the workshift if they may have become contaminated during the shift.

1910.1030(d)(4)(ii)(C)

All bins, pails, cans, and similar receptacles intended for reuse which have a reasonable likelihood for becoming contaminated with blood or other potentially infectious materials shall be inspected and decontaminated on a regularly scheduled basis and cleaned and decontaminated immediately or as soon as feasible upon visible contamination.

1910.1030(d)(4)(ii)(D)

Broken glassware which may be contaminated shall not be picked up directly with the hands. It shall be cleaned up using mechanical means, such as a brush and dust pan, tongs, or forceps.

[1910.1030\(d\)\(4\)\(ii\)\(E\)](#)

Reusable sharps that are contaminated with blood or other potentially infectious materials shall not be stored or processed in a manner that requires employees to reach by hand into the containers where these sharps have been placed.

[1910.1030\(d\)\(4\)\(iii\)](#)

*Regulated Waste --*

[1910.1030\(d\)\(4\)\(iii\)\(A\)](#)

*Contaminated Sharps Discarding and Containment.*

[1910.1030\(d\)\(4\)\(iii\)\(A\)\(1\)](#)

Contaminated sharps shall be discarded immediately or as soon as feasible in containers that are:

1910.1030(d)(4)(iii)(A)(1)(i)

Closable;

1910.1030(d)(4)(iii)(A)(1)(ii)

Puncture resistant;

1910.1030(d)(4)(iii)(A)(1)(iii)

Leakproof on sides and bottom; and

1910.1030(d)(4)(iii)(A)(1)(iv)

Labeled or color-coded in accordance with paragraph (g)(1)(i) of this standard.

1910.1030(d)(4)(iii)(A)(2)

During use, containers for contaminated sharps shall be:

[1910.1030\(d\)\(4\)\(iii\)\(A\)\(2\)\(i\)](#)

Easily accessible to personnel and located as close as is feasible to the immediate area where sharps are used or can be reasonably anticipated to be found (e.g., laundries);

Replaced routinely and not be allowed to overfill.

1910.1030(d)(4)(iii)(A)(3)

Closed prior to removal to prevent spillage or protrusion of contents during handling, storage, transport, or shipping.

1910.1030(d)(4)(iii)(B)(2)

If outside contamination of the regulated waste container occurs, it shall be placed in a second container. The second container shall be:

1910.1030(d)(4)(iii)(B)(2)(i)

protective equipment.

[1910.1030\(d\)\(4\)\(iv\)\(C\)](#)

When a facility ships contaminated laundry off-site to a second facility which does not utilize Universal Precautions in the handling of all laundry, the facility generating the contaminated laundry must place such laundry in bags or containers which are labeled or color-coded in accordance with paragraph (g)(1)(i).

[1910.1030\(e\)](#)

*HIV and HBV Research Laboratories and Production Facilities.*

1910.1030(e)(1)

This paragraph applies to research laboratories and production facilities engaged in the culture, production, concentration, experimentation, and manipulation of HIV and HBV. It does not apply to clinical or diagnostic laboratories engaged solely in the analysis of blood, tissues, or organs. These requirements apply in addition to the other requirements of the standard.

1910.1030(e)(2)

Research laboratories and production facilities shall meet the following criteria:

1910.1030(e)(2)(i)

*Standard Microbiological Practices.* All regulated waste shall either be incinerated or decontaminated by a method such as autoclaving known to effectively destroy bloodborne pathogens.

1910.1030(e)(2)(ii)

*Special Practices.*

1910.1030(e)(2)(ii)(A)

Laboratory doors shall be kept closed when work involving HIV or HBV is in progress.

[1910.1030\(e\)\(2\)\(ii\)\(B\)](#)

Contaminated materials that are to be decontaminated at a site away from the work area shall be placed in a durable, leakproof, labeled or color-coded container that is closed before being removed from the work area.

1910.1030(e)(2)(ii)(C)

Access to the work area shall be limited to authorized persons. Written policies and procedures shall be established whereby only persons who have been advised of the potential biohazard, who meet any specific entry requirements, and who comply with all entry and exit procedures shall be allowed to enter the work areas and animal rooms.

1910.1030(e)(2)(ii)(D)

When other potentially infectious materials or infected animals are present in the work area or containment module, a hazard warning sign incorporating the universal biohazard symbol shall be posted on all access doors. The hazard warning sign shall comply with paragraph (g)(1)(ii) of this standard.

1910.1030(e)(2)(ii)(E)

All activities involving other potentially infectious materials shall be conducted in biological safety cabinets or other physical-containment devices within the containment module. No work with these other potentially infectious materials shall be conducted on the open bench.

1910.1030(e)(2)(ii)(F)

Laboratory coats, gowns, smocks, uniforms, or other appropriate protective clothing shall be used in the work area and animal rooms. Protective clothing shall not be worn outside of the work area and shall be decontaminated before being laundered.

1910.1030(e)(2)(ii)(G)

Special care shall be taken to avoid skin contact with other potentially infectious materials. Gloves shall be worn when handling infected animals and when making hand contact with other potentially infectious materials is unavoidable.

1910.1030(e)(2)(ii)(H)

Before disposal all waste from work areas and from animal rooms shall either be incinerated or decontaminated by a method such as autoclaving known to effectively destroy bloodborne pathogens.

1910.1030(e)(2)(ii)(I)

Vacuum lines shall be protected with liquid disinfectant traps and high-efficiency particulate air (HEPA) filters or filters of equivalent or superior efficiency and which are checked routinely and maintained or replaced as necessary.

1910.1030(e)(2)(ii)(J)

Hypodermic needles and syringes shall be used only for parenteral injection and aspiration of fluids from laboratory animals and diaphragm bottles. Only needle-locking syringes or disposable syringe-needle units (i.e., the needle is integral to the syringe) shall be used for the injection or aspiration of other potentially infectious materials. Extreme caution shall be used when handling needles and syringes. A needle shall not be bent, sheared, replaced in the sheath or guard, or removed from the syringe following use. The needle and syringe shall be promptly placed in a puncture-resistant container and autoclaved or decontaminated before reuse or disposal.

1910.1030(e)(2)(ii)(K)

All spills shall be immediately contained and cleaned up by appropriate professional staff or others properly trained and equipped to work with potentially concentrated infectious materials.

1910.1030(e)(2)(ii)(L)

A spill or accident that results in an exposure incident shall be immediately reported to the laboratory director or other responsible person.

shall be used for all activities with other potentially infectious materials that pose a threat of exposure to droplets, splashes, spills, or aerosols.

1910.1030(e)(2)(iii)(B)

Biological safety cabinets shall be certified when installed, whenever they are moved and at least annually.

1910.1030(e)(3)

HIV and HBV research laboratories shall meet the following criteria:

1910.1030(e)(3)(i)

Each laboratory shall contain a facility for hand washing and an eye wash facility which is readily available within the work area.

1910.1030(e)(3)(ii)

An autoclave for decontamination of regulated waste shall be available.

1910.1030(e)(4)

HIV and HBV production facilities shall meet the following criteria:

1910.1030(e)(4)(i)

1910.1030(e)(5)

*Training Requirements.* Additional training requirements for employees in HIV and HBV research laboratories and HIV and HBV production







1910.1030(f)(4)(ii)(E)

All medical records relevant to the appropriate treatment of the employee including vaccination status which are the employer's responsibility to maintain.

[1910.1030\(f\)\(5\)](#)

*Healthcare Professional's Written Opinion.* The employer shall obtain and provide the employee with a copy of the evaluating healthcare professional's written opinion within 15 days of the completion of the evaluation.

1910.1030(f)(5)(i)

The healthcare professional's written opinion for Hepatitis B vaccination shall be limited to whether Hepatitis B vaccination is indicated for an employee, and if the employee has received such vaccination.

1910.1030(f)(5)(ii)

The healthcare professional's written opinion for post-exposure evaluation and follow-up shall be limited to the following information:

1910.1030(f)(5)(ii)(A)

That the employee has been informed of the results of the evaluation; and

1910.1030(f)(5)(ii)(B)

That the employee has been told about any medical conditions resulting from exposure to blood or other potentially infectious materials which require further evaluation or treatment.

1910.1030(f)(5)(iii)

All other findings or diagnoses shall remain confidential and shall not be included in the written report.

1910.1030(f)(6)

1910.1030(g)(1)(i)(B)

Labels required by this section shall include the following legend:



1910.1030(g)(1)(i)(C)

These labels shall be fluorescent orange or orange-red or predominantly so, with lettering and symbols in a contrasting color.

1910.1030(g)(1)(i)(D)

Labels shall be affixed as close as feasible to the container by string, wire, adhesive, or other method that prevents their loss or unintentional removal.

[1910.1030\(g\)\(1\)\(i\)\(E\)](#)

Red bags or red containers may be substituted for labels.

1910.1030(g)(1)(i)(F)

Containers of blood, blood components, or blood products that are labeled as to their contents and have been released for transfusion or other clinical use are exempted from the labeling requirements of paragraph (g).

1910.1030(g)(1)(i)(G)

Individual containers of blood or other potentially infectious materials that are placed in a labeled container during storage, transport, shipment or disposal are exempted from the labeling requirement.

[1910.1030\(g\)\(1\)\(i\)\(H\)](#)

Labels required for contaminated equipment shall be in accordance with this paragraph and shall also state which portions of the equipment remain contaminated.

1910.1030(g)(1)(i)(I)

Regulated waste that has been decontaminated need not be labeled or color-coded.

1910.1030(g)(1)(ii)

*Signs.*

1910.1030(g)(1)(ii)(A)

The employer shall post signs at the entrance to work areas specified in paragraph (e), HIV and HBV Research Laboratory and Production Facilities, which shall bear the following legend:

(Name of the Infectious Agent)  
(Special requirements for entering the area)  
(Name, telephone number of the laboratory director or other responsible person.)

1910.1030(g)(1)(ii)(B)

These signs shall be fluorescent orange-red or predominantly so, with lettering and symbols in a contrasting color.

[1910.1030\(g\)\(2\)](#)

*Information and Training.*

1910.1030(g)(2)(i)

The employer shall train each employee with occupational exposure in accordance with the requirements of this section. Such training must be provided at no cost to the employee and during working hours. The employer shall institute a training program and ensure employee participation in the program.

[1910.1030\(g\)\(2\)\(ii\)](#)

Training shall be provided as follows:

1910.1030(g)(2)(ii)(A)

At the time of initial assignment to tasks where occupational exposure me fluorescent orange

Annual training for all employees shall be provided within one year of their previous training.

[1910.1030\(g\)\(2\)\(v\)](#)

Employers shall provide additional training when changes such as modification of tasks or procedures or institution of new tasks or procedures affect the employee's occupational exposure. The additional training may be limited to addressing the new exposures created.

1910.1030(g)(2)(vi)

Material appropriate in content and vocabulary to educational level, literacy, and language of employees shall be used.

[1910.1030\(g\)\(2\)\(vii\)](#)

The training program shall contain at a minimum the following elements:

1910.1030(g)(2)(vii)(A)

An accessible copy of the regulatory text of this standard and an explanation of its contents;

1910.1030(g)(2)(vii)(B)

A general explanation of the epidemiology and symptoms of bloodborne diseases;

1910.1030(g)(2)(vii)(C)

An explanation of the modes of transmission of bloodborne pathogens;

1910.1030(g)(2)(vii)(D)

An explanation of the employer's exposure control plan and the means by which it is implemented.

1910.1030(g)(2)(vii)(J)

Information on the appropriate actions to take and persons to contact in an emergency involving blood or other potentially infectious materials;

1910.1030(g)(2)(vii)(K)

An explanation of the procedure to follow if an exposure incident occurs, including the method of reporting the incident and the medical follow-up that will be made available;

1910.1030(g)(2)(vii)(L)

Information on the post-

1910.1030(h)(1)

*Medical Records.*







Research Laboratories and Production Facilities, (f) Hepatitis B Vaccination and Post-Exposure Evaluation and Follow-up, and (g)(1) Labels and Signs of this section, shall take effect July 6, 1992.

[56 FR 64004, Dec. 06, 1991, as amended at 57 FR 12717, April 13, 1992; 57 FR 29206, July 1, 1992; 61 FR 5507, Feb. 13, 1996; 66 FR 5325 Jan., 18, 2001; 71 FR 16672 and 16673, April 3, 2006; 73 FR 75586, Dec. 12, 2008; 76 FR 33608, June 8, 2011; 76 FR 80740, Dec. 27, 2011; 77 FR 19934, April 3, 2012]

---